

## PATENT COOPERATION TREATY

PCT

## NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Assistant Commissioner for Patents  
United States Patent and Trademark  
Office  
Box PCT  
Washington, D.C.20231  
ÉTATS-UNIS D'AMÉRIQUE

in its capacity as elected Office

Date of mailing (day/month/year) 15 October 1999 (15.10.99)	
International application No. PCT/US99/00379	Applicant's or agent's file reference 99,017-A
International filing date (day/month/year) 14 January 1999 (14.01.99)	Priority date (day/month/year) 03 February 1998 (03.02.98)
Applicant ADES, Edwin, W. et al	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:

12 August 1999 (12.08.99)

☐ in a notice effecting later election filed with the International Bureau on:2. The election ☒ was☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Authorized officer Maria Kirchner Telephone No.: (41-22) 338.83.38
---	--

# PATENT COOPERATION TREATY

From the INTERNATIONAL SEARCHING AUTHORITY

# PCT

NOTIFICATION OF TRANSMITTAL OF  
THE INTERNATIONAL SEARCH REPORT  
OR THE DECLARATION

(PCT Rule 44.1)

To:

McDonnell Boehnen Hulbert &  
Berghoff  
Attn. GREENFIELD, M.  
300 South Wacker Drive  
Chicago, Illinois 60606  
UNITED STATES OF AMERICA

Date of mailing  
(day/month/year)

27/07/1999

Applicant's or agent's file reference

99,017-A

**FOR FURTHER ACTION**

See paragraphs 1 and 4 below

International application No.

PCT/US 99/ 00379

International filing date

(day/month/year)

14/01/1999

Applicant

CENTER FOR DISEASE CONTROL AND PREVENTION et al.

1. ☒ The applicant is hereby notified that the International Search Report has been established and is transmitted herewith.

**Filing of amendments and statement under Article 19:**

The applicant is entitled, if he so wishes, to amend the claims of the International Application (see Rule 46):

**When?** The time limit for filing such amendments is normally 2 months from the date of transmittal of the International Search Report; however, for more details, see the notes on the accompanying sheet.

**Where?** Directly to the International Bureau of WIPO  
34, chemin des Colombettes  
1211 Geneva 20, Switzerland  
Facsimile No.: (41-22) 740.14.35

For more detailed instructions, see the notes on the accompanying sheet.

2. ☐ The applicant is hereby notified that no International Search Report will be established and that the declaration under Article 17(2)(a) to that effect is transmitted herewith.

3. ☐ With regard to the protest against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that:

☐ the protest together with the decision thereon has been transmitted to the International Bureau together with the applicant's request to forward the texts of both the protest and the decision thereon to the designated Offices.

☐ no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.

4. **Further action(s):** The applicant is reminded of the following:

Shortly after 18 months from the priority date, the international application will be published by the International Bureau. If the applicant wishes to avoid or postpone publication, a notice of withdrawal of the international application, or of the priority claim, must reach the International Bureau as provided in Rules 90bis.1 and 90bis.3, respectively, before the completion of the technical preparations for international publication.

Within 19 months from the priority date, a demand for international preliminary examination must be filed if the applicant wishes to postpone the entry into the national phase until 30 months from the priority date (in some Offices even later).

Within 20 months from the priority date, the applicant must perform the prescribed acts for entry into the national phase before all designated Offices which have not been elected in the demand or in a later election within 19 months from the priority date or could not be elected because they are not bound by Chapter II.

Name and mailing address of the International Searching Authority



European Patent Office, P.B. 5818 Patentlaan 2  
NL-2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Mireille Claudepierre

## NOTES TO FORM PCT/ISA/220

These Notes are intended to give the basic instructions concerning the filing of amendments under article 19. The Notes are based on the requirements of the Patent Cooperation Treaty, the Regulations and the Administrative Instructions under that Treaty. In case of discrepancy between these Notes and those requirements, the latter are applicable. For more detailed information, see also the PCT Applicant's Guide, a publication of WIPO.

In these Notes, "Article", "Rule", and "Section" refer to the provisions of the PCT, the PCT Regulations and the PCT Administrative Instructions respectively.

### INSTRUCTIONS CONCERNING AMENDMENTS UNDER ARTICLE 19

The applicant has, after having received the international search report, one opportunity to amend the claims of the international application. It should however be emphasized that, since all parts of the international application (claims, description and drawings) may be amended during the international preliminary examination procedure, there is usually no need to file amendments of the claims under Article 19 except where, e.g. the applicant wants the latter to be published for the purposes of provisional protection or has another reason for amending the claims before international publication. Furthermore, it should be emphasized that provisional protection is available in some States only.

#### What parts of the international application may be amended?

Under Article 19, only the claims may be amended.

During the international phase, the claims may also be amended (or further amended) under Article 34 before the International Preliminary Examining Authority. The description and drawings may only be amended under Article 34 before the International Examining Authority.

Upon entry into the national phase, all parts of the international application may be amended under Article 28 or, where applicable, Article 41.

#### When?

Within 2 months from the date of transmittal of the international search report or 16 months from the priority date, whichever time limit expires later. It should be noted, however, that the amendments will be considered as having been received on time if they are received by the International Bureau after the expiration of the applicable time limit but before the completion of the technical preparations for international publication (Rule 46.1).

#### Where not to file the amendments?

The amendments may only be filed with the International Bureau and not with the receiving Office or the International Searching Authority (Rule 46.2).

Where a demand for international preliminary examination has been/is filed, see below.

#### How?

Either by cancelling one or more entire claims, by adding one or more new claims or by amending the text of one or more of the claims as filed.

A replacement sheet must be submitted for each sheet of the claims which, on account of an amendment or amendments, differs from the sheet originally filed.

All the claims appearing on a replacement sheet must be numbered in Arabic numerals. Where a claim is cancelled, no renumbering of the other claims is required. In all cases where claims are renumbered, they must be renumbered consecutively (Administrative Instructions, Section 205(b)).

The amendments must be made in the language in which the international application is to be published.

#### What documents must/may accompany the amendments?

##### Letter (Section 205(b)):

The amendments must be submitted with a letter.

The letter will not be published with the international application and the amended claims. It should not be confused with the "Statement under Article 19(1)" (see below, under "Statement under Article 19(1)").

The letter must be in English or French, at the choice of the applicant. However, if the language of the international application is English, the letter must be in English; if the language of the international application is French, the letter must be in French.

The letter must indicate the differences between the claims as filed and the claims as amended. It must, in particular, indicate, in connection with each claim appearing in the international application (it being understood that identical indications concerning several claims may be grouped), whether

- (i) the claim is unchanged;
- (ii) the claim is cancelled;
- (iii) the claim is new;
- (iv) the claim replaces one or more claims as filed;
- (v) the claim is the result of the division of a claim as filed.

The following examples illustrate the manner in which amendments must be explained in the accompanying letter:

1. [Where originally there were 48 claims and after amendment of some claims there are 51]:  
"Claims 1 to 29, 31, 32, 34, 35, 37 to 48 replaced by amended claims bearing the same numbers; claims 30, 33 and 36 unchanged; new claims 49 to 51 added."
2. [Where originally there were 15 claims and after amendment of all claims there are 11]:  
"Claims 1 to 15 replaced by amended claims 1 to 11."
3. [Where originally there were 14 claims and the amendments consist in cancelling some claims and in adding new claims]:  
"Claims 1 to 6 and 14 unchanged; claims 7 to 13 cancelled; new claims 15, 16 and 17 added." or  
"Claims 7 to 13 cancelled; new claims 15, 16 and 17 added; all other claims unchanged."
4. [Where various kinds of amendments are made]:  
"Claims 1-10 unchanged; claims 11 to 13, 18 and 19 cancelled; claims 14, 15 and 16 replaced by amended claim 14; claim 17 subdivided into amended claims 15, 16 and 17; new claims 20 and 21 added."

**"Statement under article 19(1)" (Rule 46.4)**

The amendments may be accompanied by a statement explaining the amendments and indicating any impact that such amendments might have on the description and the drawings (which cannot be amended under Article 19(1)).

The statement will be published with the international application and the amended claims.

It must be in the language in which the international application is to be published.

It must be brief, not exceeding 500 words if in English or if translated into English.

It should not be confused with and does not replace the letter indicating the differences between the claims as filed and as amended. It must be filed on a separate sheet and must be identified as such by a heading, preferably by using the words "Statement under Article 19(1)."

It may not contain any disparaging comments on the international search report or the relevance of citations contained in that report. Reference to citations, relevant to a given claim, contained in the international search report may be made only in connection with an amendment of that claim.

**Consequence if a demand for international preliminary examination has already been filed**

If, at the time of filing any amendments under Article 19, a demand for international preliminary examination has already been submitted, the applicant must preferably, at the same time of filing the amendments with the International Bureau, also file a copy of such amendments with the International Preliminary Examining Authority (see Rule 62.2(a), first sentence).

**Consequence with regard to translation of the international application for entry into the national phase**

The applicant's attention is drawn to the fact that, where upon entry into the national phase, a translation of the claims as amended under Article 19 may have to be furnished to the designated/elected Offices, instead of, or in addition to, the translation of the claims as filed.

For further details on the requirements of each designated/elected Office, see Volume II of the PCT Applicant's Guide.

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference <b>99,017-A</b>	<b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. <b>PCT/US 99/ 00379</b>	International filing date (day/month/year) <b>14/01/1999</b>	(Earliest) Priority Date (day/month/year) <b>03/02/1998</b>
Applicant <b>CENTER FOR DISEASE CONTROL AND PREVENTION et al.</b>		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 5 sheets.



It is also accompanied by a copy of each prior art document cited in this report.

## 1. Basis of the report

- a. With regard to the language, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.



the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing:



contained in the international application in written form.



filed together with the international application in computer readable form.



furnished subsequently to this Authority in written form.



furnished subsequently to this Authority in computer readable form.



the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.



the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☒ Certain claims were found unsearchable (See Box I).

3. ☐ Unity of invention is lacking (see Box II).

## 4. With regard to the title,



the text is approved as submitted by the applicant.



the text has been established by this Authority to read as follows:

## 5. With regard to the abstract,



the text is approved as submitted by the applicant.



the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

## 6. The figure of the drawings to be published with the abstract is Figure No.



as suggested by the applicant.



because the applicant failed to suggest a figure.



because this figure better characterizes the invention.



None of the figures.

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 99/00379

## Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:  
Remark: Although claims 19-21  
are directed to a method of treatment of the human/animal  
body, the search has been carried out and based on the alleged  
effects of the compound/composition.
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such  
an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all  
searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment  
of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report  
covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is  
restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

# INTERNATIONAL SEARCH REPORT

International Application No.

US 99/00379

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C12N15/31 C12N15/62 C07K14/315 A61K39/02 A61K39/09

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C07K C12N A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 93 10238 A (US HEALTH) 27 May 1993 (1993-05-27) cited in the application abstract; claims; examples page 11, line 4 - line 19	1-24
Y	WO 96 40718 A (CONNAUGHT LAB) 19 December 1996 (1996-12-19) abstract; claims; examples page 7, line 4 - page 9, line 2 -/-	1-24

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

8 July 1999

Date of mailing of the international search report

27/07/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Jansen, K-S

# INTERNATIONAL SEARCH REPORT

International Application No.

US 99/00379

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	BECKER ET AL: "Recombinant engineering of PspA antigen from Streptococcus pneumoniae as PAM-3cys-lipidated protein potentiates immunogenicity for both parenteral and mucosal routes of administration." BROWN, F. 'EDITOR!; BURTON, D. 'EDITOR!; DOHERTY, P. 'EDITOR!; MEKALANOS, J. 'EDITOR!. VACCINES, 1997, VOL. 97, PP. 39-44, COLD SPRING HARBOR, NEW YORK, USA XP002108305 the whole document	21-24
A	TALKINGTON ET AL: "Protection of mice against fatal pneumococcal challenge by immunization with pneumococcal surface adhesin A (PsaA)" MICROBIAL PATHOGENESIS, vol. 21, 1996, pages 17-22, XP002108303 see abstract and discussion, particularly page 21, line 7 - line 13	1-24
A	SAMPSON ET AL: "Limited Diversity of Streptococcus pneumoniae psaA among Pneumococcal Vaccine Serotypes" INFECTION AND IMMUNITY, vol. 65, no. 5, May 1997 (1997-05), pages 1967-1971, XP002108304 see the whole document, particularly page 1969, line 44 - page 1970, line 3 -& SAMPSON ET AL: "Streptococcus pneumoniae surface adhesin A" EMBL DATABASE ENTRY SPU53509 <ID> ACCESSION NUMBER U53509, 4 October 1996 (1996-10-04), XP002108510	1-24
A	SAMPSON ET AL: "Cloning and Nucleotide Sequence Analysis of psaA, the Streptococcus pneumoniae Gene Encoding a 37-Kilodalton Protein Homologous to Previously Reported Streptococcus sp. Adhesins" INFECTION AND IMMUNITY, vol. 62, no. 1, January 1994 (1994-01), pages 319-324, XP002108496 abstract; figure 2	1-24
A	BESSLER ET AL: "SYNTHETIC LIPOPEPTIDES AS NOVEL ADJUVANTS" RESEARCH IN IMMUNOLOGY, vol. 143, no. 5, 1 January 1992 (1992-01-01), pages 548-553, XP000574924 cited in the application see abstract and discussion	1-24

-/--



# INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 99/00379

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category \* Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No.

A	<p>ERDILE ET AL: "OspA lipoprotein of <i>Borrelia burgdorferi</i> is a mucosal immunogen and adjuvant"</p> <p>VACCINE, vol. 15, no. 9, 1 June 1997 (1997-06-01), page 988-995 XP004115364 see abstract and discussion</p>	1-24
P,Y	<p>ADES ET AL: "Intranasal immunization with recombinant PsaA (37kDa) protects mice challenged intranasally with <i>Streptococcus pneumoniae</i>"</p> <p>CENTERS FOR DISEASE CONTROL AND PREVENTION, INTERNATIONAL CONFERENCE ON EMERGING INFECTIOUS DISEASES, ATLANTA, GA (USA). 8-11 MAR 1998, XP002108497 abstract</p>	21-24

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application

US 99/00379

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9310238	A	27-05-1993	AU 3065892 A US 5854416 A	15-06-1993 29-12-1998
WO 9640718	A	19-12-1996	AU 6134396 A CA 2223300 A EP 0832093 A FI 974422 A NO 975619 A	30-12-1996 19-12-1996 01-04-1998 04-02-1998 30-01-1998

## PCT

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference <b>99,017-A</b>	<b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. <b>PCT/US 99/ 00379</b>	International filing date (day/month/year) <b>14/01/1999</b>	(Earliest) Priority Date (day/month/year) <b>03/02/1998</b>
Applicant <b>CENTER FOR DISEASE CONTROL AND PREVENTION et al.</b>		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 5 sheets.



It is also accompanied by a copy of each prior art document cited in this report.

## 1. Basis of the report

- a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.
- ☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).
- b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :
- ☒ contained in the international application in written form.
- ☒ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☒ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☒ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☒ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

4. With regard to the **title**,

- ☒ the text is approved as submitted by the applicant.
- ☐ the text has been established by this Authority to read as follows:

5. With regard to the **abstract**,

- ☒ the text is approved as submitted by the applicant.
- ☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.

- ☐ as suggested by the applicant.
- ☐ because the applicant failed to suggest a figure.
- ☐ because this figure better characterizes the invention.



None of the figures.

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 99/00379

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:  
Remark: Although claims 19-21  
are directed to a method of treatment of the human/animal  
body, the search has been carried out and based on the alleged  
effects of the compound/composition.
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such  
an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all  
searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment  
of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report  
covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is  
restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

### Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

## INTERNATIONAL SEARCH REPORT

International Application No

CT/US 99/00379

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C12N15/31 C12N15/62 C07K14/315 A61K39/02 A61K39/09

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C07K C12N A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 93 10238 A (US HEALTH) 27 May 1993 (1993-05-27) cited in the application abstract; claims; examples page 11, line 4 - line 19 ---	1-24
Y	WO 96 40718 A (CONNAUGHT LAB) 19 December 1996 (1996-12-19) abstract; claims; examples page 7, line 4 - page 9, line 2 --- -/--	1-24

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

## \* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&amp;" document member of the same patent family

Date of the actual completion of the international search

8 July 1999

Date of mailing of the international search report

27/07/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Jansen, K-S

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/00379

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	<p>BECKER ET AL: "Recombinant engineering of PspA antigen from Streptococcus pneumoniae as PAM-3cys-lipidated protein potentiates immunogenicity for both parenteral and mucosal routes of administration." ,  BROWN, F. 'EDITOR!; BURTON, D. 'EDITOR!;  DOHERTY, P. 'EDITOR!; MEKALANOS, J.  'EDITOR!. VACCINES, 1997, VOL. 97, PP.  39-44, COLD SPRING HARBOR, NEW YORK, USA  XP002108305  the whole document. ---</p>	21-24
A	<p>TALKINGTON ET AL: "Protection of mice against fatal pneumococcal challenge by immunization with pneumococcal surface adhesin A (PsaA)"  MICROBIAL PATHOGENESIS,  vol. 21, 1996, pages 17-22, XP002108303  see abstract and discussion, particularly page 21, line 7 - line 13  ---</p>	1-24
A	<p>SAMPSON ET AL: "Limited Diversity of Streptococcus pneumoniae psaA among Pneumococcal Vaccine Serotypes"  INFECTION AND IMMUNITY,  vol. 65, no. 5, May 1997 (1997-05), pages 1967-1971, XP002108304  see the whole document, particularly page 1969, line 44 - page 1970, line 3  -&amp; SAMPSON ET AL: "Streptococcus pneumoniae surface adhesin A"  EMBL DATABASE ENTRY SPU53509 &lt;ID&gt;  ACCESSION NUMBER U53509,  4 October 1996 (1996-10-04), XP002108510  ---</p>	1-24
A	<p>SAMPSON ET AL: "Cloning and Nucleotide Sequence Analysis of psaA, the Streptococcus pneumoniae Gene Encoding a 37-Kilodalton Protein Homologous to Previously Reported Streptococcus sp. Adhesins"  INFECTION AND IMMUNITY,  vol. 62, no. 1, January 1994 (1994-01), pages 319-324, XP002108496  abstract; figure 2  ---</p>	1-24
A	<p>BESSLER ET AL: "SYNTHETIC LIPOPEPTIDES AS NOVEL ADJUVANTS"  RESEARCH IN IMMUNOLOGY,  vol. 143, no. 5,  1 January 1992 (1992-01-01), pages 548-553, XP000574924  cited in the application  see abstract and discussion  ---</p>	1-24

-/--

## INTERNATIONAL SEARCH REPORT

International Application No

CT/US 99/00379

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	ERDILE ET AL: "OspA lipoprotein of Borrelia burgdorferi is a mucosal immunogen and adjuvant" VACCINE, vol. 15, no. 9, 1 June 1997 (1997-06-01), page 988-995 XP004115364 see abstract and discussion ---	1-24
P,Y	ADES ET AL: "Intranasal immunization with recombinant PsaA (37kDa) protects mice challenged intranasally with Streptococcus pneumoniae" CENTERS FOR DISEASE CONTROL AND PREVENTION, INTERNATIONAL CONFERENCE ON EMERGING INFECTIOUS DISEASES, ATLANTA, GA (USA). 8-11 MAR 1998, XP002108497 abstract -----	21-24

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 99/00379

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
WO 9310238	A	27-05-1993	AU	3065892 A	15-06-1993
			US	5854416 A	29-12-1998
-----					
WO 9640718	A	19-12-1996	AU	6134396 A	30-12-1996
			CA	2223300 A	19-12-1996
			EP	0832093 A	01-04-1998
			FI	974422 A	04-02-1998
			NO	975619 A	30-01-1998
-----					



## INTERNATIONAL PRELIMINARY EXAMINATION REPORT



(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 99,017-A	<b>FOR FURTHER ACTION</b> See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/US99/00379	International filing date (day/month/year) 14/01/1999	Priority date (day/month/year) 03/02/1998
International Patent Classification (IPC) or national classification and IPC C12N15/31		
Applicant CENTER FOR DISEASE CONTROL AND PREVENTION et al.		

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.
2. This REPORT consists of a total of 6 sheets, including this cover sheet.  
  
☐ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).  
  
These annexes consist of a total of sheets.

3. This report contains indications relating to the following items:

- I ☒ Basis of the report
- II ☐ Priority
- III ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- IV ☐ Lack of unity of invention
- V ☒ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- VI ☐ Certain documents cited
- VII ☐ Certain defects in the international application
- VIII ☒ Certain observations on the international application

Date of submission of the demand  12/08/1999	Date of completion of this report  22.05.2000
Name and mailing address of the international preliminary examining authority:   European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465	Authorized officer  Halle, F  Telephone No. +49 89 2399 8537  

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/US99/00379

## I. Basis of the report

1. This report has been drawn on the basis of (*substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.*):

### Description, pages:

1-28 as originally filed

### Claims, No.:

1-24 as originally filed

2. The amendments have resulted in the cancellation of:

☐ the description, pages:

☐ the claims, Nos.:

☐ the drawings, sheets:

3. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

4. Additional observations, if necessary:

## V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

### 1. Statement

Novelty (N)	Yes:	Claims	1-24
	No:	Claims	
Inventive step (IS)	Yes:	Claims	1-24
	No:	Claims	
Industrial applicability (IA)	Yes:	Claims	1-18,22-24
	No:	Claims	

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT**

International application No. PCT/US99/00379

---

2. Citations and explanations

**see separate sheet**

**VIII. Certain observations on the international application**

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

**see separate sheet**

**Point V**

1. Reference is made to the following documents:

D1: WO 93/10238 (cited in the application)

D2: WO 96/40718

D3: Microbial Pathogenesis 21, 1996, pages 17-22

D4: Infection and Immunity, 65, 1997, pages 1967-1971

2. **Novelty and inventive step:** Having regard to the cited prior art documents, the subject-matter of claims 1-24 appears to be novel (Article 33(2) PCT) and to involve an inventive step (Article 33(3) PCT).
  - 2.1 The invention, fundamentally, provides a recombinant pneumococcal lipoprotein PsaA wherein the lipidation is from a signal sequence of a lipoprotein other than PsaA. The obtained hybrid nucleic acid molecule comprises a nucleic acid sequence encoding a signal sequence of a lipoprotein other than PsaA and a nucleic acid sequence encoding a mature PsaA protein; thus the recombinant lipoprotein of the invention is obtained by the expression of a first and a second nucleic acid sequence which do not naturally occur together.
  - 2.2 The prior art D1 refers to a recombinant pneumococcal lipoprotein PsaA (termed in D1 as "PfPa", for pneumococcal fimbrial protein A) but does not refer to a signal sequence of a lipoprotein other than PsaA. The prior art D2 refers to a hybrid nucleic acid molecule encoding a PspA protein, but not PsaA. The hybrid nucleic acid molecule of the invention and its related subject-matter claimed is not, therefore, anticipated by the prior art. Concerning the definition of the lipidated PsaA protein claimed and its related subject-matter (claims 13 et seq), see Point VIII, 3.1, below.
  - 2.3 Concerning inventive step, it is to be noted that the most relevant prior art which appears to be represented by the document D2 also refers to a hybrid nucleic acid molecule encoding a pneumococcal surface protein designated PspA; this protein however appears to be different from the PsaA used in the present invention. The combination of the disclosures of D1 and D2 in order to obtain the hybrid molecule

of the present invention does not appear to be obvious. Indeed, in the present invention, the difficulties in obtaining a detectable expression of recombinant PsaA were overcome by deleting the native signal sequence of the Streptococcus PsaA gene and replacing said signal sequence with a heterologous signal sequence from the OspA gene of *Borrelia*; this approach in view of a detectable expression of recombinant PsaA is specific to the present invention. Therefore, a priori, the skilled person had no reason why to combine the teachings of D1 and D2; moreover, there is no guarantee that such a combination would result in a hybrid nucleic acid molecule having the properties of the present invention i.e. leading to a detectable expression of recombinant PsaA. For similar reasons, the choice of the hybrid nucleic acid molecule of the invention encoding PsaA does not appear to be an obvious selection. Therefore, having regard to the prior art, the hybrid nucleic acid molecule of the invention and its related subject-matter claimed is not obvious to a person skilled in the art.

- 2.4 **Industrial applicability:** For the assessment of the present claims 19-21 on the question whether they are industrially applicable, no unified criteria exist in the PCT. The patentability can also be dependent upon the formulation of the claims. The EPO, for example, does not recognize as industrially applicable the subject-matter of claims to the use of a compound in medical treatment, but may allow, however, claims to a known compound for first use in medical treatment and the use of such a compound for the manufacture of a medicament for a new medical treatment.
- 2.5 **Priority:** The above comments are based on the assumption that all claims enjoy priority rights from the filing date of the priority document. In that case the document cited as P,Y-document in the international search report is not considered as prior art.

## Point VIII

- 3.1 **Insufficient definition of the subject-matter claimed:** It is believed that the purified lipidated PsaA, defined by a "product-by-process" claim, as in the present claim 13, is novel over the prior art. However, whatever said new process may be, the lipidated PsaA should be defined in the claims by the technical features of the

invention (Article 6 and Rule 6.3(a) PCT), in particular, those features allowing to differentiate without any ambiguity the claimed product from the known similar products as mentioned in the background art in the present description, e.g. the PsaA characterized by Russell et al., 1990, and described in U.S. Patent No. 5 422 427, cf. description page 4, first full paragraph. Moreover, the pneumococcal protein PsaA has already been characterized by its structure in view of its vaccine properties, cf. D3 and D4. In other words, the purified lipidated protein PsaA involved in the present invention must itself be defined and characterized in all the independent claims (see also PCT Guidelines III-4.4). A similar remark applies to the subject-matter of claims 14-17, 19, 20, 22 and 23.

- 3.2 The prior art documents D2-D4 are not mentioned in the description, cf. Rule 5.1(a)(ii) PCT.
- 3.3 For the use of trademarks in the claims (present claim 8), see PCT Guidelines III-4.5b.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

# INTERNATIONAL SEARCH REPORT

National Application No.

PCT/US 99/00379

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC 6 C12N15/31 C12N15/62 C07K14/315 A61K39/02 A61K39/09

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C07K C12N A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 93 10238 A (US HEALTH) 27 May 1993 (1993-05-27) cited in the application abstract; claims; examples page 11, line 4 - line 19 ---	1-24
Y	WO 96 40718 A (CONNAUGHT LAB) 19 December 1996 (1996-12-19) abstract; claims; examples page 7, line 4 - page 9, line 2 --- -/--	1-24



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

\* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

8 July 1999

Date of mailing of the international search report

27/07/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Jansen, K-S



# INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 99/00379

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	<p>BECKER ET AL: "Recombinant engineering of PspA antigen from Streptococcus pneumoniae as PAM-3cys-lipidated protein potentiates immunogenicity for both parenteral and mucosal routes of administration."</p> <p>BROWN, F. 'EDITOR!; BURTON, D. 'EDITOR!; DOHERTY, P. 'EDITOR!; MEKALANOS, J. 'EDITOR!. VACCINES, 1997, VOL. 97, PP. 39-44, COLD SPRING HARBOR, NEW YORK, USA XP002108305</p> <p>the whole document</p>	21-24
A	<p>TALKINGTON ET AL: "Protection of mice against fatal pneumococcal challenge by immunization with pneumococcal surface adhesin A (PsaA)"</p> <p>MICROBIAL PATHOGENESIS, vol. 21, 1996, pages 17-22, XP002108303</p> <p>see abstract and discussion, particularly page 21, line 7 - line 13</p>	1-24
A	<p>SAMPSON ET AL: "Limited Diversity of Streptococcus pneumoniae psaA among Pneumococcal Vaccine Serotypes"</p> <p>INFECTION AND IMMUNITY, vol. 65, no. 5, May 1997 (1997-05), pages 1967-1971, XP002108304</p> <p>see the whole document, particularly page 1969, line 44 - page 1970, line 3</p> <p>-&amp; SAMPSON ET AL: "Streptococcus pneumoniae surface adhesin A"</p> <p>EMBL DATABASE ENTRY SPU53509 &lt;ID&gt;</p> <p>ACCESSION NUMBER U53509, 4 October 1996 (1996-10-04), XP002108510</p>	1-24
A	<p>SAMPSON ET AL: "Cloning and Nucleotide Sequence Analysis of psaA, the Streptococcus pneumoniae Gene Encoding a 37-Kilodalton Protein Homologous to Previously Reported Streptococcus sp. Adhesins"</p> <p>INFECTION AND IMMUNITY, vol. 62, no. 1, January 1994 (1994-01), pages 319-324, XP002108496</p> <p>abstract; figure 2</p>	1-24
A	<p>BESSLER ET AL: "SYNTHETIC LIPOPEPTIDES AS NOVEL ADJUVANTS"</p> <p>RESEARCH IN IMMUNOLOGY, vol. 143, no. 5, 1 January 1992 (1992-01-01), pages 548-553, XP000574924</p> <p>cited in the application</p> <p>see abstract and discussion</p>	1-24

-/--

# INTERNATIONAL SEARCH REPORT

ational Application No

PCT/US 99/00379

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>ERDILE ET AL: "OspA lipoprotein of <i>Borrelia burgdorferi</i> is a mucosal immunogen and adjuvant" VACCINE, vol. 15, no. 9, 1 June 1997 (1997-06-01), page 988-995 XP004115364 see abstract and discussion</p>	1-24
P,Y	<p>ADES ET AL: "Intranasal immunization with recombinant PsaA (37kDa) protects mice challenged intranasally with <i>Streptococcus pneumoniae</i>" CENTERS FOR DISEASE CONTROL AND PREVENTION, INTERNATIONAL CONFERENCE ON EMERGING INFECTIOUS DISEASES, ATLANTA, GA (USA). 8-11 MAR 1998, XP002108497 abstract</p>	21-24

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 99/00379

## Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:  
Remark: Although claims 19-21  
are directed to a method of treatment of the human/animal  
body, the search has been carried out and based on the alleged  
effects of the compound/composition.
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such  
an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all  
searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment  
of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report  
covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is  
restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 99/00379

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9310238 A	27-05-1993	AU 3065892 A US 5854416 A	15-06-1993 29-12-1998
WO 9640718 A	19-12-1996	AU 6134396 A CA 2223300 A EP 0832093 A FI 974422 A NO 975619 A	30-12-1996 19-12-1996 01-04-1998 04-02-1998 30-01-1998

From the  
INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

JUN 01 2000

To:

GREENFIELD, Michael S.  
McDONNELL BOEHNEN HULBERT &  
BERGHOFF  
300 South Wacker Drive  
Chicago, Illinois 60606  
ETATS-UNIS D'AMERIQUE

PCT

DUE DATE:

BY:

NOTIFICATION OF TRANSMITTAL OF  
THE INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT

(PCT Rule 71.1)

Date of mailing  
(day/month/year)

22.05.2000

Applicant's or agent's file reference  
99,017-A

**IMPORTANT NOTIFICATION**

International application No.  
PCT/US99/00379

International filing date (day/month/year)  
14/01/1999

Priority date (day/month/year)  
03/02/1998

Applicant

CENTER FOR DISEASE CONTROL AND PREVENTION et al.

1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

**4. REMINDER**

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/



European Patent Office  
D-80298 Munich  
Tel. +49 89 2399 - 0 Tx: 523656 epmu d  
Fax: +49 89 2399 - 4465

Authorized officer

Vullo, C

Tel. +49 89 2399-8061



# PATENT COOPERATION TREATY

## PCT

### INTERNATIONAL PRELIMINARY EXAMINATION REPORT



(PCT Article 36 and Rule 70)

Applicant's or agent's file reference <b>99,017-A</b>	<b>FOR FURTHER ACTION</b> <small>See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)</small>	
International application No. <b>PCT/US99/00379</b>	International filing date (day/month/year) <b>14/01/1999</b>	Priority date (day/month/year) <b>03/02/1998</b>
International Patent Classification (IPC) or national classification and IPC <b>C12N15/31</b>		
Applicant <b>CENTER FOR DISEASE CONTROL AND PREVENTION et al.</b>		

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.
2. This REPORT consists of a total of 6 sheets, including this cover sheet.
- ☐ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).
- These annexes consist of a total of sheets.

3. This report contains indications relating to the following items:

- I ☒ Basis of the report
- II ☐ Priority
- III ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- IV ☐ Lack of unity of invention
- V ☒ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- VI ☐ Certain documents cited
- VII ☐ Certain defects in the international application
- VIII ☒ Certain observations on the international application

Date of submission of the demand  <b>12/08/1999</b>	Date of completion of this report  <b>22.05.2000</b>
Name and mailing address of the international preliminary examining authority:  European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465	Authorized officer  <b>Halle, F</b>  Telephone No. +49 89 2399 8537 

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT**

International application No. PCT/US99/00379

**I. Basis of the report**

1. This report has been drawn on the basis of (*substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.*):

**Description, pages:**

1-28 as originally filed

**Claims, No.:**

1-24 as originally filed

2. The amendments have resulted in the cancellation of:

- ☐ the description, pages:  
☐ the claims, Nos.:  
☐ the drawings, sheets:

3. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

4. Additional observations, if necessary:

**V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

**1. Statement**

Novelty (N)	Yes: Claims 1-24
	No: Claims
Inventive step (IS)	Yes: Claims 1-24
	No: Claims
Industrial applicability (IA)	Yes: Claims 1-18,22-24
	No: Claims

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT**

International application No. PCT/US99/00379

---

**2. Citations and explanations**

**see separate sheet**

**VIII. Certain observations on the international application**

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

**see separate sheet**



**Point V**

1. Reference is made to the following documents:

D1: WO 93/10238 (cited in the application)

D2: WO 96/40718

D3: Microbial Pathogenesis 21, 1996, pages 17-22

D4: Infection and Immunity, 65, 1997, pages 1967-1971

2. **Novelty and inventive step:** Having regard to the cited prior art documents, the subject-matter of claims 1-24 appears to be novel (Article 33(2) PCT) and to involve an inventive step (Article 33(3) PCT).

- 2.1 The invention, fundamentally, provides a recombinant pneumococcal lipoprotein PsaA wherein the lipidation is from a signal sequence of a lipoprotein other than PsaA. The obtained hybrid nucleic acid molecule comprises a nucleic acid sequence encoding a signal sequence of a lipoprotein other than PsaA and a nucleic acid sequence encoding a mature PsaA protein; thus the recombinant lipoprotein of the invention is obtained by the expression of a first and a second nucleic acid sequence which do not naturally occur together.
- 2.2 The prior art D1 refers to a recombinant pneumococcal lipoprotein PsaA (termed in D1 as "PfPa", for pneumococcal fimbrial protein A) but does not refer to a signal sequence of a lipoprotein other than PsaA. The prior art D2 refers to a hybrid nucleic acid molecule encoding a PspA protein, but not PsaA. The hybrid nucleic acid molecule of the invention and its related subject-matter claimed is not, therefore, anticipated by the prior art. Concerning the definition of the lipidated PsaA protein claimed and its related subject-matter (claims 13 et seq), see Point VIII, 3.1, below.
- 2.3 Concerning inventive step, it is to be noted that the most relevant prior art which appears to be represented by the document D2 also refers to a hybrid nucleic acid molecule encoding a pneumococcal surface protein designated PspA; this protein however appears to be different from the PsaA used in the present invention. The combination of the disclosures of D1 and D2 in order to obtain the hybrid molecule

of the present invention does not appear to be obvious. Indeed, in the present invention, the difficulties in obtaining a detectable expression of recombinant PsaA were overcome by deleting the native signal sequence of the Streptococcus PsaA gene and replacing said signal sequence with a heterologous signal sequence from the OspA gene of Borrelia; this approach in view of a detectable expression of recombinant PsaA is specific to the present invention. Therefore, a priori, the skilled person had no reason why to combine the teachings of D1 and D2; moreover, there is no guarantee that such a combination would result in a hybrid nucleic acid molecule having the properties of the present invention i.e. leading to a detectable expression of recombinant PsaA. For similar reasons, the choice of the hybrid nucleic acid molecule of the invention encoding PsaA does not appear to be an obvious selection. Therefore, having regard to the prior art, the hybrid nucleic acid molecule of the invention and its related subject-matter claimed is not obvious to a person skilled in the art.

- 2.4 **Industrial applicability:** For the assessment of the present claims 19-21 on the question whether they are industrially applicable, no unified criteria exist in the PCT. The patentability can also be dependent upon the formulation of the claims. The EPO, for example, does not recognize as industrially applicable the subject-matter of claims to the use of a compound in medical treatment, but may allow, however, claims to a known compound for first use in medical treatment and the use of such a compound for the manufacture of a medicament for a new medical treatment.
- 2.5 **Priority:** The above comments are based on the assumption that all claims enjoy priority rights from the filing date of the priority document. In that case the document cited as P,Y-document in the international search report is not considered as prior art.

### **Point VIII**

- 3.1 **Insufficient definition of the subject-matter claimed:** It is believed that the purified lipidated PsaA, defined by a "product-by-process" claim, as in the present claim 13, is novel over the prior art. However, whatever said new process may be, the lipidated PsaA should be defined in the claims by the technical features of the

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT - SEPARATE SHEET**

---

International application No. PCT/US99/00379

invention (Article 6 and Rule 6.3(a) PCT), in particular, those features allowing to differentiate without any ambiguity the claimed product from the known similar products as mentioned in the background art in the present description, e.g. the PsaA characterized by Russell et al., 1990, and described in U.S. Patent No. 5 422 427, cf. description page 4, first full paragraph. Moreover, the pneumococcal protein PsaA has already been characterized by its structure in view of its vaccine properties, cf. D3 and D4. In other words, the purified lipidated protein PsaA involved in the present invention must itself be defined and characterized in all the independent claims (see also PCT Guidelines III-4.4). A similar remark applies to the subject-matter of claims 14-17, 19, 20, 22 and 23.

3.2 The prior art documents D2-D4 are not mentioned in the description, cf. Rule 5.1(a)(ii) PCT.

3.3 For the use of trademarks in the claims (present claim 8), see PCT Guidelines III-4.5b.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> C12N 15/31, 15/62, C07K 14/315, A61K 39/02, 39/09		<b>A1</b>	<b>(11) International Publication Number:</b> WO 99/40200
			<b>(43) International Publication Date:</b> 12 August 1999 (12.08.99)
<b>(21) International Application Number:</b> PCT/US99/00379			<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
<b>(22) International Filing Date:</b> 14 January 1999 (14.01.99)			
<b>(30) Priority Data:</b> 09/017,782 3 February 1998 (03.02.98) US			
<b>(71) Applicant (for all designated States except US):</b> CENTER FOR DISEASE CONTROL AND PREVENTION [US/US]; 1600 Clifton Road, N.E., Atlanta, GA 30333 (US).			
<b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> ADES, Edwin, W. [US/US]; 4432 Whitewater Creek Road, Atlanta, GA 30327 (US). CARLONE, George, M. [US/US]; 5243 Sandy Shoals Lane, Stone Mountain, GA 30087 (US). DE, Barun, K. [US/US]; 2530 Blyth Lane, Snellville, GA 30078 (US). SAMPSON, Jacquelyn, S. [US/US]; 4220 Greentree Lane, College Park, GA 30349 (US). HUEBNER, Robert, C. [US/US]; 860 Queen Street, Stroudsburg, PA 18360 (US).			
<b>(74) Agent:</b> GREENFIELD, Michael, S.; McDonnell Bochen Hultbert & Berghoff, 300 South Wacker Drive, Chicago, IL 60606 (US).			<b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> RECOMBINANT LIPIDATED PsaA PROTEIN, METHODS OF PREPARATION AND USE			
<b>(57) Abstract</b> <p>The present invention relates to recombinant lipidated PsaA proteins and recombinant constructs from which such lipidated PsaA proteins may be expressed. The invention relates further to lipidated PsaA proteins in which lipidation is effected by the use of a heterologous leader sequence derived from the <i>ospA</i> gene of <i>Borrelia burgdorferi</i>, which leader sequence is joined in translational reading frame with the <i>psaA</i> structural gene. The invention also provides methods of preparation of lipidated PsaA proteins and use of such proteins in immunological compositions. Also provided are vaccines comprising immunogenic lipidated PsaA proteins and methods of use of such vaccines in the prevention and treatment of <i>S.pneumoniae</i> infection.</p>			

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

**RECOMBINANT LIPIDATED PsaA PROTEIN, METHODS OF  
PREPARATION AND USE**

**BACKGROUND OF THE INVENTION**

5        *Streptococcus pneumoniae* is an important cause of otitis media, meningitis, bacteremia and pneumonia, and a leading cause of fatal infections in the elderly and persons with underlying medical conditions, such as pulmonary disease, liver disease, alcoholism, sickle cell, cerebrospinal fluid leaks, acquired immune deficiency syndrome (AIDS), and patients undergoing immunosuppressive therapy. It is also a leading cause of morbidity in  
10    young children. Pneumococcal infections cause approximately 40,000 deaths in the U.S. each year (CDC. Prevention of Pneumococcal Disease. MMWR 1997;46:1-25). The most severe pneumococcal infections involve invasive meningitis and bacteremia infections, of which there are 3,000 and 50,000 cases annually, respectively.

      Despite the use of antibiotics and vaccines, the prevalence of pneumococcal infections  
15    has declined little over the last twenty-five years; the case-fatality rate for bacteremia is reported to be 15-20% in the general population, 30-40% in the elderly, and 36% in inner-city African Americans. Less severe forms of pneumococcal disease are pneumonia, of which there are 500,000 cases annually in the U.S., and otitis media in children, of which there are an estimated 7,000,000 cases annually in the U.S. caused by *S. pneumoniae*. Strains of drug-  
20    resistant *S. pneumoniae* are becoming ever more common in the U.S. and worldwide. In some areas, as many as 30% of pneumococcal isolates are resistant to penicillin. The increase in antimicrobial resistant pneumococcus further emphasizes the need for preventing pneumococcal infections.

      Pneumococcus asymptomatically colonizes the upper respiratory tract of normal  
25    individuals; disease often results from the spread of organisms from the nasopharynx to other tissues during opportunistic events. The incidence of carriage in humans varies with age and

circumstances. Carrier rates in children are typically higher than are those of adults. Studies have demonstrated that 38 to 60% of preschool children, 29 to 35% of grammar school children and 9 to 25% of junior high school children are carriers of pneumococcus. Among adults, the rate of carriage drops to 6% for those without children at home, and to 18 to 29% for those with children at home. It is not surprising that the higher rate of carriage in children than in adults parallels the incidence of pneumococcal disease in these populations.

An attractive goal for streptococcal vaccination is to reduce carriage in the vaccinated populations and subsequently reduce the incidence of pneumococcal disease. There is speculation that a reduction in pneumococcal carriage rates by vaccination could reduce the incidence of the disease in non-vaccinated individuals as well as vaccinated individuals. This "herd immunity" induced by vaccination against upper respiratory bacterial pathogens has been observed using the *Haemophilus influenzae* type b conjugate vaccines (Takala, A.K., et al., J. Infect. Dis. 1991; 164: 982-986; Takala, A.K., et al., Pediatr. Infect. Dis. J., 1993; 12: 593-599; Ward, J., et al., Vaccines, S.A. Plotkin and E. A. Mortimer, eds., 1994, pp. 337-386; Murphy, T.V., et al., J. Pediatr., 1993; 122: 517-523; and Mohle-Boetani, J.C., et al., Pediatr. Infect. Dis. J., 1993; 12: 589-593).

It is generally accepted that immunity to *Streptococcus pneumoniae* can be mediated by specific antibodies against the polysaccharide capsule of the pneumococcus. However, neonates and young children fail to make adequate immune response against most capsular polysaccharide antigens and can have repeated infections involving the same capsular serotype. One approach to immunizing infants against a number of encapsulated bacteria is to conjugate the capsular polysaccharide antigens to protein to make them immunogenic. This approach has been successful, for example, with *Haemophilus influenzae b* (see U.S. Patent No. 4,496,538 to Gordon and U.S. Patent No. 4,673,574 to Anderson).

However, there are over ninety known capsular serotypes of *S. pneumoniae*, of which twenty-three account for about 85-90% of the disease. For a pneumococcal polysaccharide-protein conjugate to be successful, the capsular types responsible for most pneumococcal infections would have to be made adequately immunogenic. This approach may be difficult, because the twenty-three polysaccharides included in the presently-available vaccine are not all optimally immunogenic, even in adults.

Protection mediated by anti-capsular polysaccharide antibody responses is restricted to the polysaccharide type. Different polysaccharide types differentially facilitate virulence in humans and other species. Pneumococcal vaccines have been developed by combining the 23 different capsular polysaccharides which are representative of the prevalent types of human pneumococcal disease. These 23 polysaccharide types have been used in a licensed pneumococcal vaccine since 1983 (D.S. Fedson, M. Musher, Vaccines, S.A. Plotkin and J.E.A. Montimer, eds., 1994, pp. 517-564). The licensed 23-valent polysaccharide vaccine has a reported efficacy of approximately 60% in preventing bacteremia caused by vaccine type pneumococci in healthy adults.

However, the efficacy of the vaccine has been controversial, and at times, the justification for the recommended use of the vaccine questioned. It has been speculated that the efficacy of this vaccine is negatively affected by having to combine 23 different antigens. Having a large number of antigens combined in a single formulation may negatively affect the antibody responses to individual types within this mixture because of antigenic competition. The efficacy is also affected by the fact that the 23 serotypes encompass all serological types associated with human infections and carriage.

An alternative approach for protecting children, and also the elderly, from pneumococcal infection would be to identify protein antigens that could elicit protective immune responses. Such proteins may serve as a vaccine by themselves, may be used in



conjunction with successful polysaccharide-protein conjugates, or as carriers for polysaccharides.

Russell et al. have described an immunogenic, species-common protein from *S. pneumoniae* designated pneumococcal fimbrial protein A. (J. Clin. Microbiol. 28: 2191-95 (1990)). This 37 kDa protein antigen is also described in U.S. Patent No. 5,422,427, the teachings of which are hereby incorporated in their entirety herein by reference. The 37 kDa protein, which was previously referred to as pneumococcal fimbrial protein A, has more recently been designated pneumococcal surface protein A (PsaA). For the purposes of the present application, references made to PsaA, pneumococcal surface protein A, pneumococcal fimbrial protein A, or the 37 kDa antigen, shall all be understood to refer to that certain protein antigen from *S. pneumoniae* characterized by Russell et al. (1990) and described in U.S. Patent No. 5,422,427.

Immunoblot analysis studies with a monoclonal antibody to PsaA demonstrate that PsaA is common to all 23 pneumococcal vaccine serotypes (Russell et al., 1990). The gene encoding PsaA has been cloned and sequenced. (Sampson et al. (1994) "Cloning and nucleotide sequence analysis of *psaA*, the *Streptococcus pneumoniae* gene encoding a 37-kilodalton protein homologous to previously reported *Streptococcus* sp. adhesins" Infect. Immun. 62:319-324. Unfortunately, the strain from which the gene was cloned, R36A, is an unencapsulated strain of low virulence, and subsequent studies have revealed that it is not representative of *psaA* genes from serotypes of clinically relevant strains. For example, oligonucleotide primers based on the published sequence of *psaA* from R36A were unable to direct PCR amplification of the *psaA* gene from strain D39, a virulent capsular type 2 strain (Berry and Paton. Infect. Immun. 64: 5255-62, 1996).

The *psaA* gene has been cloned from encapsulated strain 6B, and is the subject of pending patent application 08/222,179. This gene is more representative of clinically

relevant strains. This gene was initially cloned into pUC18 and subsequently inserted into an expression vector, pQE30 (Quiagen, CA) containing the T5 promoter. However, while *E.coli* host cells transformed with this construct and induced with IPTG did express recombinant PsaA, the recombinant cells were unstable and yields were low. This instability  
5 may be due to the toxicity of naturally lipidated recombinant proteins to *E. coli* host cells, and makes such expression systems of limited use in preparation of sufficient quantities of recombinant PsaA for use in immunological compositions.

In order to establish an infection, *S. pneumoniae* must first gain entry to the host through

10 mucosal surfaces. The principal determinant of specific immunity at mucosal surfaces is secretory IgA (S-IgA) which is physiologically and functionally separate from the components of the circulatory immune system. Mucosal S-IgA responses are predominantly generated by the common mucosal immune system (CMIS) [Mestecky, J. Clin. Immunol. (1987), 7:265-276], in which immunogens are taken up by specialized lymphoepithelial  
15 structures collectively referred to as mucosa associated lymphoid tissue (MALT). The term common mucosal immune system refers to the fact that immunization at any mucosal site can elicit an immune response at all other mucosal sites. Thus, immunization in the gut can elicit mucosal immunity in the upper airways and vice versa.

Further, it is important to note that oral immunization can induce an antigen-specific  
20 IgG response in the systemic compartment in addition to mucosal IgA antibodies [McGhee, J.R. et al., (1993), Infect. Agents and Disease 2:55-73].

Most soluble and non-replicating antigens are poor mucosal immunogens, especially by the peroral route, probably because digestive enzymes degrade such antigens and such antigens have little or no tropism for the gut associated lymphoid tissue (GALT). Thus, a

method for producing effective mucosal immunogens, and vaccines and immunogenic compositions containing them, would be desirable.

Native protein antigens such as PsaA, or immunogenic fragments thereof, stimulate an immune response when administered to a host. Recombinant proteins are promising vaccine or immunogenic composition candidates because they can be produced at high yield and purity and manipulated to maximize desirable activities and minimize undesirable ones. However, because they can be poorly immunogenic, methods to enhance the immune response to recombinant proteins are important in the development of vaccines or immunogenic compositions. Such antigens, especially when recombinantly produced, may elicit a stronger response when administered in conjunction with an adjuvant. An adjuvant is a substance that enhances the immunogenicity of an antigen. Adjuvants may act by retaining the antigen locally near the site of administration to produce a depot effect, facilitating a slow, sustained release of antigen to cells of the immune system. Adjuvants can also attract cells of the immune system, and may attract immune cells to an antigen depot and stimulate such cells to elicit an immune response.

Immunostimulating agents or adjuvants have been used for many years to improve the host immune response to, for example, vaccines. Intrinsic adjuvants, such as lipopolysaccharides, normally are components of the killed or attenuated bacteria used as vaccines. Extrinsic adjuvants are immunomodulators that are typically non-covalently linked to antigens and are formulated to enhance the host immune response. Aluminum hydroxide and aluminum phosphate (collectively commonly referred to as alum) are routinely used as adjuvants in human and veterinary vaccines. Currently, alum is the only adjuvant licensed for human use, although hundreds of experimental adjuvants such as cholera toxin B are being tested. However, these adjuvants have deficiencies. For instance, while cholera toxin B is not toxic in the sense of causing cholera, there is general unease about administering a

toxin associated with a disease as harmful as cholera, especially if there is even the most remote chance of minor impurity. Also, it is generally believed that, for cholera toxin B to function effectively as an adjuvant, there must be some cholera toxin activity.

Thus, it would be desirable to enhance the immunogenicity of antigens, by methods other than the use of an adjuvant, especially in monovalent preparations; and, in multivalent preparations, to have the ability to employ such a means for enhanced immunogenicity with an adjuvant, so as to obtain an even greater immunological response.

A very promising immune stimulator is the lipid moiety N-palmitoyl-S-(2RS)-2,3-bis-(palmitoyloxy) propyl cysteine, abbreviated Pam<sub>3</sub>Cys. This moiety is found at the amino terminus of the bacterial lipoproteins that are synthesized with a signal sequence that specifies lipid attachment and cleavage by signal peptidase II. Synthetic peptides that by themselves are not immunogenic induce a strong antibody response when covalently coupled to Pam<sub>3</sub>Cys [Bessler et al., Research Immunology (1992) 143:548-552].

In addition to an antibody response, one often needs to induce a cellular immune response, particularly cytotoxic T lymphocytes (CTLs). Pam<sub>3</sub>Cys-coupled synthetic peptides are extremely potent inducers of CTLs, but no one has yet reported CTL induction by large recombinant lipoproteins.

As described in WO 90/04411, an analysis of the DNA sequence for the B31 strain of *B. burgdorferi* shows that the OspA protein is encoded by an open reading frame of 819 nucleotides starting at position 151 of the DNA sequence and terminating at position 970 of the DNA sequence (see Figure 1 therein).

The first sixteen amino acid residues of OspA constitute a hydrophobic signal sequence of OspA. The primary translation product of the full length *B. burgdorferi* gene contains a hydrophobic N-terminal signal sequence which is a substrate for the attachment of a diacyl glycerol to the sulfhydryl side chain of the adjacent cysteine residue. Following this

attachment, cleavage by signal peptidase II and the attachment of a third fatty acid to the N-terminus occurs. The complete lipid moiety is termed Pam<sub>3</sub>Cys. It has been shown that lipidation of OspA is necessary for immunogenicity, since OspA lipoprotein with an N-terminal Pam<sub>3</sub>Cys moiety stimulates a strong antibody response, while OspA lacking the attached lipid does not induce any detectable antibodies [Erdile et al., Infect. Immun., (1993), 61:81-90].

Published international patent application WO 93/10238 describes the DNA sequence of the *psaA* gene of *S.pneumoniae* strain (type 6B) and the PsaA protein encoded thereby of 37 kDa molecular weight. This sequence reveals that PsaA is a lipoprotein that employs a signal sequence similar to that used for OspA. Based on the findings regarding OspA, one might expect that lipidation of recombinant PsaA would be useful to enhance its immunogenicity; but, as discussed below, the applicants experienced difficulties in obtaining detectable expression of recombinant PsaA.

U.S. Patent No. 4,624,926 to Inouye relates to plasmid cloning vectors, including a DNA sequence coding for a desired polypeptide linked with one or more functional fragments derived from an outer membrane lipoprotein gene of a gram negative bacterium. The polypeptide expressed by the transformed *E. coli* host cells comprises the signal peptide of the lipoprotein, followed by the first eight amino acid residues of the lipoprotein, which in turn are followed by the amino acid sequence of the desired protein. The signal peptide may then be translocated naturally across the cytoplasmic membrane and the first eight amino acids of the lipoprotein may then be processed further and inserted into the outer membrane of the cell in a manner analogous to the normal insertion of the lipoprotein into the outer membrane. Immunogenicity of the expressed proteins was not demonstrated.

Published international patent application WO91/O9952 describes plasmids for expressing lipidated proteins. Such plasmids involve a DNA sequence encoding a lipoprotein

signal peptide linked to the codons for one of the  $\beta$ -turn tetrapeptides QANY or IEGR, which in turn is linked to the DNA sequence encoding the desired protein.

Again, immunogenicity of the expressed proteins was not demonstrated.

## SUMMARY OF THE INVENTION

It is an object of the invention to provide a recombinant pneumococcal lipoprotein wherein the lipidation thereof is from expression of a first nucleic acid sequence and the protein portion thereof is from expression of a second nucleic acid sequence and the first and second sequences do not naturally occur together; especially such a lipoprotein wherein the first sequence encodes a *Borrelia* lipoprotein leader sequence, preferably an OspA leader sequence, and more preferably wherein the second sequence encodes a protein portion comprising PsaA, or an immunogenic fragment thereof.

It is another object of the invention to provide expression of genes and/or sequences encoding such recombinant lipoproteins, vectors therefor and methods for effecting such expression.

It is a further object of the invention to provide immunogenic compositions, including vaccines, containing the recombinant lipoproteins and/or vectors for expression thereof.

Documents cited in this disclosure, including the above-referenced applications, provide typical additional ingredients for such compositions, such that undue experimentation is not required by the skilled artisan to formulate a composition from this disclosure. Such compositions should preferably contain a quantity of the recombinant PsaA lipoprotein or vector expressing such sufficient to elicit a suitable response. Such a quantity of recombinant lipoprotein or vector can be based upon known amounts of antigens administered. For instance, if there is a known amount for administration of an antigen corresponding to the second sequence expressed for the inventive recombinant lipoprotein, the quantity of

recombinant PsaA lipoprotein can be scaled to about that known amount, and the amount of vector can be such as to produce a sufficient number of colony forming units (cfu) so as to result in *in vivo* expression of the recombinant lipoprotein in about that known amount. Likewise, the quantity of recombinant PsaA lipoprotein can be based upon amounts of antigen administered to animals in the examples below and in the documents cited herein, without undue experimentation.

The present invention also includes, in other aspects, procedures for the production of recombinant PsaA lipoproteins, by assembly of an expression vector, expression of the recombinant PsaA lipoprotein from a host organism containing the expression vector, and optionally isolating and/or purifying the expressed recombinant PsaA lipoprotein. The isolation and purification processes can be so as to obtain recombinant PsaA lipoprotein free from impurities such as lipopolysaccharides and other bacterial proteins. The present invention further includes immunogenic compositions, such as vaccines, containing the recombinant PsaA lipoprotein as well as methods for inducing an immunological response.

The present invention is concerned with genetic engineering to effect expression of pneumococcal lipoproteins from vectors containing nucleic acid molecules encoding the lipoproteins. More particularly, the present invention relates to expression of a recombinant PsaA lipoprotein wherein the lipidation thereof is from expression of a first nucleic acid sequence and the protein thereof is from expression of a second nucleic acid sequence, the first and second nucleic acid sequences, which do not naturally occur together, being contiguous. The invention relates to expression of such lipoproteins wherein the first nucleic acid sequence encodes a *Borrellia* lipoprotein (OspA) leader sequence. The invention also relates to recombinant lipidated PsaA proteins expressed using the nucleic acid sequence encoding the OspA leader sequence, methods of making and using the same compositions thereof and methods of using the compositions. The invention additionally relates to nucleic

acid sequences encoding the recombinant PsaA lipoproteins, vectors containing and/or expressing the sequences, methods for expressing the PsaA lipoproteins and methods for making the nucleic acid sequences and vectors; compositions employing the PsaA lipoproteins, including immunogenic or vaccine compositions, such compositions preferably  
5 having improved immunogenicity; and methods of using such compositions to elicit an immunological or protective response.

Throughout this specification, reference is made to various documents so as to describe more fully the state of the art to which this invention pertains. These documents are each hereby incorporated herein by reference.

10

### DETAILED DESCRIPTION OF THE INVENTION

The procedure of the present invention enables large quantities of pure recombinant, immunogenic lipidated PsaA proteins, and portions thereof, to be obtained, which has not heretofore been possible. The recombinantly-formed lipidated proteins provided herein  
15 are significantly more immunogenic than their non-lipidated recombinant analogs.

Accordingly, in one embodiment, the present invention provides an isolated hybrid nucleic acid molecule, preferably DNA, comprising a first nucleic acid sequence encoding the signal sequence preferably of an OspA protein of a *Borrelia* species, coupled in translational open reading frame relationship with a second nucleic acid sequence encoding a  
20 mature PsaA protein, or immunologically active fragment thereof.

The signal sequence of the OspA protein of a *Borrellia* strain encoded by the first nucleic acid sequence preferably is that of a strain of *B. burgdorferi*, more preferably a strain of *B. burgdorferi* selected from the *B31*, *ACAI* and *Ip9O* families of strains, or from other strains with comparable signal sequences.



The hybrid gene provided herein may be assembled into an expression vector, preferably under the control of a suitable promoter for expression of the mature lipoprotein, in accordance with a further aspect of the invention, which, in a suitable host organism, such as *E. coli*, causes initial translation of a chimeric molecule comprising the leader sequence and the PsaA protein in lipidated form, followed by cleavage of the chimeric molecule by signal peptidase II and attachment of lipid moieties to the new terminus of the PsaA protein, whereby the mature lipoprotein is expressed in the host organism.

The present invention provides, for the first time, a hybrid nucleic acid molecule which permits the production of commercially useful quantities of recombinant lipidated PsaA protein, or immunologically active fragments thereof.

Recombinant methods are preferred since a high yield is desired. The basic steps in the recombinant production of lipidated PsaA include:

a) constructing a synthetic or semi-synthetic DNA encoding the heterologous PsaA lipoprotein,

b) integrating said DNA into an expression vector in a manner suitable for the expression of the PsaA lipoprotein, either alone or as a fusion protein,

c) transforming an appropriate prokaryotic or eukaryotic host cell with said expression vector,

d) culturing said transformed or transfected host cell, and

e) recovering and purifying the recombinantly produced PsaA lipoprotein.

For recombinant expression, the sequence coding for a PsaA lipoprotein may be wholly synthetic, semi-synthetic or the result of modification of the native *psaA* gene.

Synthetic genes, the in vitro or in vivo transcription and translation of which will result in the production of PsaA-like polypeptides may be constructed by techniques well known in the art. Owing to the natural degeneracy of the genetic code, the skilled artisan will

recognize that a sizable yet definite number of DNA sequences may be constructed which encode PsaA lipoproteins. The gene encoding the PsaA lipoprotein may be created by synthetic methodology. Such methodology of synthetic gene construction is well known in the art. Brown, E.L., Belagaje, R., Ryan, M.J., and Khorana, H.G. (1979) in Methods in Enzymology, Academic Press, N.Y., Vol. 68, pgs. 109-151, the entire teaching of which is hereby incorporated by reference. The DNA segments corresponding to the *psaA* gene, or fragments thereof, are generated using conventional DNA synthesizing apparatus such as the Applied Biosystems Model 380A or 380B DNA synthesizers (commercially available from Applied Biosystems, Inc., 850 Lincoln Center Drive, Foster City, CA 94404). The synthetic *psaA* gene may be designed to possess restriction endonuclease cleavage sites at either end of the transcript to facilitate isolation from and integration into expression and amplification plasmids. The choice of restriction sites are chosen so as to properly orient the sequence coding for the PsaA lipoprotein with control sequences to achieve proper in-frame reading and expression of the PsaA lipoprotein. A variety of other such cleavage sites may be incorporated depending on the particular recombinant constructs employed and may be generated by techniques well known in the art.

The "polymerase chain reaction" or "PCR" refers to a procedure or technique in which amounts of a pre-selected piece of nucleic acid, RNA and/or DNA, are amplified as described in U.S. Patent No. 4,683,195. Generally, sequence information from the ends of the region of interest or beyond is employed to design oligonucleotide primers. These primers will be identical or similar in sequence to opposite strands of the template to be amplified. PCR can be used to amplify specific RNA sequences, specific DNA sequences from total genomic DNA, and cDNA transcribed from total cellular RNA, bacteriophage or plasmid sequences, and the like. See generally Mullis et al., Cold Spring Harbor Symp. Quant. Biol., 51, 263 (1987); Erlich, ed., PCR Technology, (Stockton Press, NY, 1989).

PCR can also be used to conveniently introduce any desired sequence change genes of interest. See generally, Ausubel et al., eds, Current Protocols in Molecular Biology, § 8.5.1 (John Wiley & Sons, 1995).

Construction of suitable vectors containing the desired coding and control sequences  
5 employ standard ligation techniques. Isolated plasmids or DNA fragments are cleaved, tailored, and religated in the form desired to form the plasmids required.

To effect the translation of the desired PsaA lipoprotein sequence, one inserts the engineered DNA sequence coding for the PsaA lipoprotein in any of a plethora of appropriate recombinant DNA expression vectors through the use of appropriate restriction  
10 endonucleases. A synthetic version of the DNA coding sequence is designed to possess restriction endonuclease cleavage sites at either end of the transcript to facilitate isolation from and integration into these expression and amplification plasmids. The coding sequence may be readily modified by the use of synthetic linkers to facilitate the incorporation of this sequence into the desired cloning vectors by techniques well known in the art. The particular  
15 endonucleases employed will be dictated by the restriction endonuclease cleavage pattern of the parent expression vector to be employed. The choice of restriction sites are chosen so as to properly orient the DNA coding sequence with control sequences to achieve proper in-frame reading and expression of the PsaA lipoprotein.

In general, plasmid vectors containing promoters and control sequences that are  
20 derived from species compatible with the host cell are used with these hosts. The vector ordinarily carries a replication site as well as marker sequences which are capable of providing phenotypic selection in transformed cells. For example, *E. coli* is typically transformed using pBR322, a plasmid derived from an *E. coli* species (Bolivar, et al., Gene 2:  
95 [1977]), pBR322 contains genes for ampicillin and tetracycline resistance and thus  
25 provides easy means for identifying transformed cells. The pBR322 plasmid, or other

microbial plasmid must also contain or be modified to contain promoters and other control elements commonly used in recombinant DNA construction.

The DNA sequence coding for the PsaA lipoprotein must be positioned so as to be in proper reading frame with the promoter and ribosome binding site of the expression vector, both of which are functional in the host cell in which the DNA coding sequence for the PsaA lipoprotein is to be expressed. In the preferred practice of the invention, the promoter-operator region is placed in the same sequential orientation with respect to the ATG start codon of DNA sequence encoding the PsaA lipoprotein as the promoter-operator occupies with respect to the ATG-start codon of the gene from which it was derived. Synthetic or modified promoter-operator regions such as the *tac* promoter are well known in the art. When employing such synthetic or modified promoter-operator regions they should be oriented with respect to the ATG start codon of the DNA sequence coding for the PsaA lipoprotein as directed by their creators.

In general, prokaryotes are used for cloning of DNA sequences in constructing the vectors useful in the invention. For example, *E. coli* K12 strain 294 (ATCC No. 31446) is particularly useful. Other microbial strains which may be used include *E. coli* B and *E. coli* X1776 (ATCC No. 31537), *E. coli* W3110 (prototrophic, ATCC No. 27325), bacilli such as *Bacillus subtilis*, and other enterobacteriaceae such as *Salmonella typhimurium* or *Serratia marcescans*, and various pseudomonas species may be used. Promoters suitable for use with prokaryotic hosts include the  $\beta$ -lactamase (vector pGX2907 [ATCC 39344] contains the replicon and  $\beta$ -lactamase gene) and lactose promoter systems (Chang et al., [1978] *Nature*, 275:615; and Goeddel et al., [1979] *Nature* 281:544), alkaline phosphatase, the tryptophan (*trp*) promoter system (vector pATH1 [ATCC 37695] is designed to facilitate expression of an open reading frame as a *trpE* fusion protein under control of the *trp* promoter) and hybrid promoters such as the *tac* promoter (isolatable from plasmid pDR540 ATCC-37282).

However, other functional bacterial promoters, whose nucleotide sequences are generally known, enable one of skill in the art to ligate them to DNA encoding PspA-like polypeptides using linkers or adapters to supply any required restriction sites. Promoters for use in bacterial systems also will contain a Shine-Dalgarno sequence operably linked to the DNA  
5 encoding the PspA-like polypeptide. These examples are illustrative rather than limiting.

While the discussion above and the examples provided herein refer to prokaryotic expression, those having skill in the art can readily appreciate that the recombinant PsaA lipoproteins of the instant invention may also be recombinantly produced in eukaryotic expression systems capable of effecting the necessary post translational lipid modifications.

10 Host cells may be transformed with the expression vectors of this invention and cultured in conventional nutrient media modified as is appropriate for inducing promoters, selecting transformants or amplifying genes. The culture conditions, such as temperature, pH and the like, are those previously used with the host cell selected for expression, and will be  
15 apparent to the ordinarily skilled artisan. The techniques of transforming cells with the aforementioned vectors are well known in the art and may be found in such general references as Maniatis, et al. (1989) Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Press, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York or Current Protocols in Molecular Biology (1989) and supplements.

20 The recombinant PsaA lipoproteins of the present invention may be made either by direct expression or as fusion protein comprising the PsaA lipoprotein followed by enzymatic or chemical cleavage. It is often observed in the production of certain peptides in recombinant systems that expression as a fusion protein prolongs the lifespan and/or increases the yield of the desired peptide. A variety of peptidases (e.g. trypsin) which cleave  
25 a polypeptide at specific sites or digest the peptides from the amino or carboxy termini (e.g.

diaminopeptidase) of the peptide chain are known. Furthermore, particular chemicals (e.g. cyanogen bromide) will cleave a polypeptide chain at specific sites. The skilled artisan will appreciate the modifications necessary to the amino acid sequence (and synthetic or semi-synthetic coding sequence if recombinant means are employed) to incorporate site-specific internal cleavage sites. See e.g., Carter P. Site Specific Proteolysis of Fusion Proteins, Ch. 13 in Protein Purification: From Molecular Mechanisms to Large Scale Processes, American Chemical Soc., Washington, D.C. (1990).

As described above, the hybrid gene can be assembled into an expression vector under the control of a suitable promoter for expression of the PsaA lipoprotein, which, in a suitable host organism, such as *E. coli*, causes expression of the heterologous PsaA lipoprotein from the host organism.

The present invention also provides a recombinant PsaA lipoprotein expressed by a hybrid or chimeric gene comprising a first nucleic acid sequence encoding a leader or signal sequence contiguous with a second nucleic acid sequence encoding a protein portion of the PsaA lipoprotein, and the first and second sequences do not naturally occur together. The first and second sequences are preferably coupled in a translational open reading frame relationship.

The first and second sequences can be present in a gene; and the gene and/or the first and second sequences; can be in a suitable vector for expression. The vector can be a nucleic acid in the form of, e.g., plasmids, bacteriophages and integrated DNA, in bacteria, most preferably one used for expression, e.g. *E. coli*, *Bacillus subtilis*, *Salmonella*, *Staphylococcus*, *Streptococcus*, etc., or one used as a live vector, e.g. *Lactobacillus*, *Mycobacterium*, *Salmonella*, *Streptococcus*, etc. When an expression host is used the recombinant PsaA lipoprotein can be obtained by harvesting product expressed *in vitro*; e.g., by isolating the recombinant PsaA lipoprotein from a bacterial extract. The gene can preferably be under the

control of and therefore operably linked to a suitable promoter and the promoter can either be endogenous to the vector, or be inserted into the vector with the gene.

The invention further provides vectors containing the nucleic acid encoding the recombinant PsaA lipoproteins and methods for obtaining the recombinant lipoproteins and  
5 methods for preparing the vectors.

As mentioned, the recombinant PsaA lipoproteins of the present invention can have enhanced immunogenicity. Thus, additional embodiments of the invention provide immunogenic or vaccine compositions for inducing an immunological response, comprising the isolated recombinant lipoprotein, or a suitable vector for *in vivo* expression thereof, or  
10 both, and a suitable carrier, as well as to methods for eliciting an immunological or protective response comprising administering to a host the isolated recombinant PsaA lipoprotein, the vector expressing the recombinant PsaA lipoprotein, or a composition containing the recombinant lipoprotein or vector, in an amount sufficient to elicit the response.

The present invention provides an immunogenic, immunological or vaccine  
15 composition containing recombinant polypeptides derived from pneumococcal strain(s), and a pharmaceutically acceptable carrier or diluent. An immunological composition containing the PsaA lipoprotein elicits an immunological response - local or systemic. The response can, but need not be, protective. An immunogenic composition containing the PsaA lipoprotein likewise elicits a local or systemic immunological response which can, but need  
20 not be, protective. A vaccine composition elicits a local or systemic protective response. Accordingly, the terms "immunological composition" and "immunogenic composition" include a "vaccine composition" (as the two former terms can be protective compositions).

The invention therefore also provides a method of inducing an immunological response in a host mammal comprising administering to the host an immunogenic,

immunological or vaccine composition comprising a recombinant PsaA lipoprotein and a pharmaceutically acceptable carrier or diluent.

The determination of the amount of recombinant PsaA lipoprotein antigen and optional additional adjuvant in the inventive compositions and the preparation of those compositions can be in accordance with standard techniques well known to those skilled in the pharmaceutical or veterinary arts. In particular, the amount of antigen and adjuvant in the inventive compositions and the dosages administered are determined by techniques well known to those skilled in the medical or veterinary arts taking into consideration such factors as the particular antigen, the adjuvant (if present), the age, sex, weight, species and condition of the particular animal or patient, and the route of administration. For instance, dosages of particular PsaA lipoprotein antigens for suitable hosts in which an immunological response is desired, can be readily ascertained by those skilled in the art from this disclosure, as is the amount of any adjuvant typically administered therewith. Thus, the skilled artisan can readily determine the amount of antigen and optional adjuvant in compositions and to be administered in methods of the invention. Typically, an adjuvant is commonly used as 0.001 to 50 wt% solution in phosphate buffered saline, and the antigen is present on the order of micrograms to milligrams, such as about 0.0001 to about 5 wt%, preferably about 0.0001 to about 1 wt%, most preferably about 0.0001 to about 0.05 wt% (see, e.g., Examples below or in applications cited herein). Typically, however, the antigen is present in an amount on the order of micrograms to milligrams, or, about 0.001 to about 20 wt%, preferably about 0.01 to about 10 wt%, and most preferably about 0.05 to about 5 wt%.

Of course, for any composition to be administered to an animal or human, including the components thereof, and for any particular method of administration, it is preferred to determine therefor: toxicity, such as by determining the lethal dose (LD) and LD<sub>50</sub> in a suitable animal model e.g., rodent such as mouse; and, the dosage of the composition(s),



concentration of components therein and timing of administering the composition(s), which elicit a suitable immunological response, such as by titrations of sera and analysis thereof for antibodies or antigens, e.g., by ELISA analysis. Such determinations do not require undue experimentation from the knowledge of the skilled artisan, this disclosure and the documents  
5 cited herein. And, the time for sequential administrations can be ascertained without undue experimentation.

Examples of compositions of the invention include liquid preparations for orifice, e.g., oral, nasal, anal, vaginal, peroral, intragastric, mucosal (e.g., perlingual, alveolar, gingival, olfactory or respiratory mucosa) etc., administration such as suspensions, syrups or  
10 elixirs; and, preparations for parenteral, subcutaneous, intradermal, intramuscular or intravenous administration (e.g., injectable administration), such as sterile suspensions or emulsions. Such compositions may be in admixture with a suitable carrier, diluent, or excipient such as sterile water, physiological saline, glucose or the like. The compositions can also be lyophilized. The compositions can contain auxiliary substances such as wetting  
15 or emulsifying agents, pH buffering agents, gelling or viscosity enhancing additives, preservatives, flavoring agents, colors, and the like, depending upon the route of administration and the preparation desired. Standard texts, such as "REMINGTON'S PHARMACEUTICAL SCIENCE", 17th edition, 1985, incorporated herein by reference, may be consulted to prepare suitable preparations, without undue experimentation.

20 Compositions of the invention are conveniently provided as liquid preparations, e.g., isotonic aqueous solutions, suspensions, emulsions or viscous compositions which may be buffered to a selected pH. If digestive tract absorption is preferred, compositions of the invention can be in the "solid" form of pills, tablets, capsules, caplets and the like, including "solid" preparations which are time-released or which have a liquid filling, e.g., gelatin  
25 covered liquid, whereby the gelatin is dissolved in the stomach for delivery to the gut. If

nasal or respiratory (mucosal) administration is desired, compositions may be in a form and dispensed by a squeeze spray dispenser, pump dispenser or aerosol dispenser. Aerosols are usually under pressure by means of a hydrocarbon. Pump dispensers can preferably dispense a metered dose or a dose having a particular particle size.

5           Compositions of the invention can contain pharmaceutically acceptable flavors and/or colors for rendering them more appealing, especially if they are administered orally. The viscous compositions may be in the form of gels, lotions, ointments, creams and the like and will typically contain a sufficient amount of a thickening agent so that the viscosity is from about 2500 to 6500 cps, although more viscous compositions, even up to 10,000 cps may be  
10       employed. Viscous compositions have a viscosity preferably of 2500 to 5000 cps, since above that range they become more difficult to administer. However, above that range, the compositions can approach solid or gelatin forms which are then easily administered as a swallowed pill for oral ingestion.

          Liquid preparations are normally easier to prepare than gels, other viscous  
15       compositions, and solid compositions. Additionally, liquid compositions are somewhat more convenient to administer, especially by injection or orally, to animals, children, particularly small children, and others who may have difficulty swallowing a pill, tablet, capsule or the like, or in multi-dose situations. Viscous compositions, on the other hand, can be formulated within the appropriate viscosity range to provide longer contact periods with mucosa, such as  
20       the lining of the stomach or nasal mucosa.

          Obviously, the choice of suitable carriers and other additives will depend on the exact route of administration and the nature of the particular dosage form, e.g., liquid dosage form (e.g., whether the composition is to be formulated into a solution, a suspension, gel or another liquid form), or solid dosage form (e.g., whether the composition is to be formulated into a  
25       pill, tablet, capsule, caplet, time release form or liquid-filled form).

Solutions, suspensions and gels, normally contain a major amount of water (preferably purified water) in addition to the antigen, and optional adjuvant. Minor amounts of other ingredients such as pH adjusters (e.g., a base such as NaOH), emulsifiers or dispersing agents, buffering agents, preservatives, wetting agents, jelling agents, (e.g., methylcellulose), colors and/or flavors may also be present. The compositions can be isotonic, i.e., it can have the same osmotic pressure as blood and lacrimal fluid.

The desired isotonicity of the compositions of this invention may be accomplished using sodium chloride, or other pharmaceutically acceptable agents such as dextrose, boric acid, sodium tartrate, propylene glycol or other inorganic or organic solutes. Sodium chloride is preferred particularly for buffers containing sodium ions.

Viscosity of the compositions may be maintained at the selected level using a pharmaceutically acceptable thickening agent. Methylcellulose is preferred because it is readily and economically available and is easy to work with. Other suitable thickening agents include, for example, xanthan gum, carboxymethyl cellulose, hydroxypropyl cellulose, carbomer, and the like. The preferred concentration of the thickener will depend upon the agent selected. The important point is to use an amount that will achieve the selected viscosity. Viscous compositions are normally prepared from solutions by the addition of such thickening agents.

A pharmaceutically acceptable preservative can be employed to increase the shelf-life of the compositions. Benzyl alcohol may be suitable, although a variety of preservatives including, for example, parabens, thimerosal, chlorobutanol, or benzalkonium chloride may also be employed. A suitable concentration of the preservative will be from 0.02% to 2% based on the total weight although there may be appreciable variation depending upon the agent selected.

Those skilled in the art will recognize that the components of the compositions must be selected to be chemically inert with respect to the PsaA lipoprotein antigen and optional additional adjuvant.

## EXAMPLES

### EXAMPLE 1. DERIVATION OF PsaA CODING SEQUENCE

Specifically designed oligonucleotide primers were used in a PCR procedure to amplify the *psaA* coding sequence from *S.pneumoniae* type 6B. Primers were based on the published *psaA* sequence. (Sampson et al., Infect. Immun. (1994) 62:319-324). Primer DE09 (SEQ ID NO: 1) covers 26 base pairs at the 5' end of the *psaA* gene, ending at the SphI site. Primer DE11 (SEQ ID NO: 2) encompasses 26 base pairs at the 3' end of the PsaA coding sequence and a BamHI site.

SEQ ID NO: 1

5' GGGCATGCGCTAGCGGAAAAAAAGAT

SEQ ID NO: 2

3' GGGGATCCTTATTTTGCCAATCCTTC

Primer pairs DE09 and DE11 were used in a PCR reaction using the first strand DNA as a template to amplify an 870 base pair fragment. The PCR amplification was effected in a DNA Thermal Cycler (Perkin-Elmer Cetus) for 35 cycles, with denaturation for 30 seconds at 94 °C, followed by an annealing reaction at 55 °C for 30 seconds with an extension at 72 °C for 2 minutes. The PCR-amplified *psaA* fragment was digested with SphI and BamHI and ligated into the plasmid pLF100 (ATCC Accession No. 69750) which directs insertion downstream of, and in translational reading frame with, the *ospA* signal sequence and which had been digested with the same enzymes and purified by gel electrophoresis. The ligation of the PCR-amplified *psaA* fragment that had been digested with SphI and BamHI into the

pLF100 plasmid digested with the same enzymes resulted in the generation of plasmid pOPsaA.1.

The presence of the *psaA* gene of interest within this recombinant was confirmed by restriction fragment length polymorphism (RFLP) and cycle sequence analysis, using conventional techniques. The sequence of the recombinant lipidated PsaA is set forth in SEQ ID NO: 3. The first 52 residues are derived from the OspA signal sequence of *Borrelia burgdorferi*; the remaining residues are derived from *S. pneumoniae* type 6B mature PsaA (lacking the native PsaA signal sequence).

Stable recombinant *E.coli* cells expressing recombinant rPsaA were prepared by transformation of competent HMS174-DE3 (Novagen Inc., Madison, WI) cells with pOPsaA.1, using standard heat shock techniques (Novagen). Expression of recombinant PsaA was confirmed by immuno-blot analysis with rabbit polyclonal anti-PsaA antibodies. One of several recombinants which expressed high levels of recombinant PsaA was designated HOPsaA.7.3 and subjected to further analysis. HopsAA was deposited with the American Type Culture Collection (ATCC) on January 20, 1998 and given accession number 209590.

A single colony of recombinant HOPsaA.7.3 (DE3, *F<sup>-</sup> recA, hsdR*) was grown overnight (12-14 h) at 34° C in 25 mL of Luria broth containing 0.8% NaCl and 100 ug/mL of carbenicillin. Next, 5 mL of the early log phase culture (~ O.D.600: 0.7) was mixed with fresh 20 mL of the same broth and incubated with vigorous shaking at 34°C for 2-3 h. Following induction with IPTG (0.4 mM) for 4-5 h the induced cells were pelleted by centrifugation @ 3000 rpm/25 min, resuspended in 2% Triton X114/ 67 mM PBS (7.5) and allowed to sit overnight. This process yielded two fractions: a detergent phase and an aqueous phase. Proteins from both phases were analyzed by 12% SDS-PAGE and visualized by silver staining. Western blot analysis was also performed with anti-PsaA antibodies to detect rPsaA

in these phases. These experiments indicated that the detergent phase contained mostly two types of rPsaA with molecular masses 37 ka and 38 ka. It is not uncommon for recombinant lipidated proteins to appear as a doublet on SDS-PAGE gels. Slight variations in the degree of lipidation of these recombinant proteins may result in the subtle differences in apparent molecular weight observed on SDS-PAGE gels. These two proteins constituted > 50% of total proteins present in the detergent phase as revealed by silver staining.

## EXAMPLE 2. PURIFICATION OF RECOMBINANT PsaA

To purify sufficient quantities of recombinant lipidated PsaA for use in vaccine studies, a stable recombinant HOPsaA.7.3 was used to prepare 1,000 mL of culture with the following modifications. Briefly, a single recombinant colony was grown overnight in 25 mL of Terrific broth™ (GIBCO BRL) containing 0.8% NaCl and 100 ug/mL of carbenicillin. The early log phase culture (25 mL) was added to 1000 mL of the same media, continued incubation for 8 h at 34°C and was then induced with IPTG (0.4 mM) overnight (12 -14 h). Cells were harvested and re-suspended in 100 mL of cold 2% Triton X-114/67 mM Phosphate buffer (pH7.6). Following sonication to effect lysis, the lysed cells were partitioned overnight at 4°C. Next, the lysate was clarified by centrifugation @ 10,000 rpm for 25 min at 4°C and the clear supernatant was incubated at 37°C for 20-25 min. to allow phase separation to occur. The detergent phase was separated from the aqueous phase by centrifugation @ 2500 rpm for 15 min at 25 °C and the viscous solution (10-12 mL) was washed with 100 mL of cold 67 mM PBS (pH 7.6) three times. The highly concentrated Triton™ X-114 phase (~8-10 mL), which contained the recombinant PsaA, was resuspended in 100 mL of cold 10 mM phosphate buffer (pH6.5) and dialyzed exhaustively against the same 10 mM phosphate buffer. Centrifugation of the dialysate @ 5000 rpm for 20 min at 4°C yielded a clear solution and a visible pellet. The clear supernatant, greatly enriched for

recombinant PsaA, was diluted up to ~200 mL with 10 mM phosphate buffer (pH6.5) and loaded directly to a D100 ion exchange filter pre-equilibrated with cold 10 mM phosphate (pH6.5) containing 0.1% Triton X-100 (flow rate 30-40 mL/h by gravity). Following extensive washes of the filter with a total of 250 mL of the same 10 mM phosphate buffer (pH 6.5)/ 0.1 % Triton X-100 (flow rate 50-60 mL/h), the filter was then eluted with 50 mL of buffer A (100 mM phosphate/0.1% Triton X-100, pH 6.5) followed by 50 mL of buffer B (100 mM phosphate /0.1% Triton X100/100 mM NaCl, pH 6.5). 10 ml fractions of the resultant eluates were analyzed by SDS-PAGE and visualized by silver nitrate staining. Western blot analysis was also performed with an anti-PsaA antibody to detect recombinant PsaA. The detergent phase contained two closely related recombinant PsaA proteins: (1) a major fraction which co-migrated with the native protein of ~37 kDa eluted with the first three fractions of buffer A and (2) a slow migrating recombinant protein (~38 kDa) eluted with first two fractions of buffer B. These two recombinant PsaAs constituted >50% of total bacterial proteins which partitioned in the detergent phase as revealed by SDS-PAGE with silver nitrate staining. There were several minor contaminating *E.coli* proteins of low molecular weight also visualized in all fractions by silver nitrate staining but these were not detected by Western blot analysis. Using the Pierce BCA assay, total protein content of the detergent phase was estimated as 10 -12 mg/L of *E.coli* culture; the amount of purified recombinant PsaA eluted with buffer A is 700-750 ug/L using BSA as a standard (Note: approximate concentration of total detergent phase rPsaA is >2.5 mg/L of *E.coli* culture).

### EXAMPLE 3. IMMUNOGENICITY OF RECOMBINANT LIPIDATED PsaA

A high-salt fraction of purified recombinant PsaA (DP2 ) was used as immunogen at two doses with alum. Swiss Webster mice were given 5µg of DP2 at day 0 and boosted on day 14 with the same amount of rPsaA with alum. On day 21, animals were bled and the sera

were tested for anti-PsaA antibodies by ELISA using purified native PsaA/rPsaA as the solid phase. All animals tested produced antibodies ( $\geq 1.5 \times 10^6$  titer) to PsaA.

In another experiment, High Five and Sf9 expressed recombinant PsaAs were used as immunogens at two dose levels with or without adjuvant (incomplete Freund's). Adult Swiss Webster mice were given either 20ug or 5ug of partially purified PsaAs at day 0 and boosted once on day 14 with the same amount of PsaAs without adjuvant. On day 21, animals were bled and the sera were tested for anti-PsaA antibody by dot blot assay using whole cells (serotype 6B), purified native and recombinant PsaAs, and also for titers to native PsaA.

All animals produced antibody that cross-reacted with the native and appropriate recombinant PsaAs with the exception of the antibody to Sf9 expressed PsaA, which showed limited cross-reactivity with the H5 expressed PsaA. Animals not receiving adjuvant had a reduced antibody titer (studies to determine most appropriate immunization schedule need to be done) in comparison to those receiving adjuvant.

A passive protection experiment using infant animals was performed. 20ul of either control sera (no immunogen) or sera from immunized animals was given in 100uL of PBS to infant mice 24 hours prior to challenge with serotype 6B ( $10 \times \text{BD}_{100}$ ). Twenty-four hours post-challenge, 30% of animals were dead in the Sf9 protection group. Forty-eight hours post-challenge, 80% of the control sera group and 60% of the Sf9 group and 30% of the H5 group were dead. On day 10 post-challenge, 100% of the Sf9 group and the control group were dead whereas only 40% of the H5 group had died.

The ability of recombinant lipidated PsaA to confer active protection was also investigated. Adult and infant mice were immunized, with or without adjuvant (alum), using the recombinant PsaAs expressed by either Sf9 or H5. All infant mice given Sf9 expressed PsaA antigen (with or without alum) died within 24 hours post immunization (perhaps due to TritonX-114 toxicity) whereas all adults (immunized with Sf9 expressed PsaA) survived.



All animals were boosted on day 14 with immunogen only. On day 21, all animals were tested for antibody response by dot blot assay using the native and recombinant PsaAs and all appeared positive for antibody. On the same day, they were challenged with type 6B strain (700CFU). At 24 and 48 hours post-challenge all animals remained alive. 80% of control animals were bacteremic on day 2 whereas only 20% of infant animals (immunized with H5-rPsaA) were bacteremic. Adult data were inconclusive.

## WE CLAIM:

1. A hybrid nucleic acid molecule comprising a first nucleic acid sequence encoding a signal sequence of a lipoprotein other than PsaA and a second nucleic acid sequence encoding a mature PsaA protein, or fragment thereof, wherein the signal sequence of the lipoprotein is contiguous with the second nucleic acid sequence.
2. The hybrid nucleic acid molecule of claim 1, wherein the signal sequence is the signal sequence of an OspA protein of a *Borrelia* species.
3. The hybrid nucleic acid molecule of claim 2 wherein the first nucleic acid sequence and the second nucleic acid sequence are coupled in a translational open reading frame relationship.
4. An expression vector containing the hybrid nucleic acid molecule of claim 1 operatively linked to a promoter for expression of the mature PsaA protein.
5. A method of preparation of recombinant lipidated PsaA protein, which method comprises: introducing the expression vector of claim 4 into a host organism; and effecting expression of the mature PsaA protein from the host organism.
6. The method of claim 5 wherein the host organism is *E.coli*.
7. A process for the production of recombinant lipidated PsaA protein, which process comprises: constructing a hybrid nucleic acid molecule comprising a first nucleic acid sequence encoding a signal sequence of a *Borrelia* lipoprotein and a second nucleic acid sequence encoding a mature PsaA protein, or fragment thereof, wherein the signal sequence of the *Borrelia* lipoprotein is contiguous with the second nucleic acid sequence; forming an expression vector containing the hybrid nucleic acid molecule operatively linked to a promoter for expression of the mature protein; introducing the expression vector into a host organism; effecting expression of the recombinant lipidated PsaA protein by the host organism; lysing the cells of the host organism;

treating the lysed cells with a surfactant which selectively solubilizes the recombinant lipoprotein in preference to bacterial and other proteins and which is able to effect phase separation of a detergent phase under mild conditions; effecting phase separation at a detergent phase containing solubilized recombinant lipidated PsaA protein, an aqueous phase containing bacterial and other proteins and a solid phase containing cell residue; separating and recovering the detergent phase from the solid phase and the aqueous phase; contacting the detergent phase with a first chromatographic column under conditions which result in binding of protein other than the recombinant lipidated PsaA protein to the column to provide a flow-through containing lipidated PsaA protein from the first chromatographic column and recovering the flow-through from the first chromatographic column; contacting the flow-through from the first chromatographic column with a second chromatographic column under conditions which result in binding of the recombinant lipidated PsaA protein in preference to contaminant proteins and lipopolysaccharides which flow through the second chromatographic column; eluting the recombinant lipidated PsaA protein from the second chromatographic column to provide an eluant substantially free from lipopolysaccharides and contaminant proteins; and recovering the eluant.

8. The process of claim 7 wherein the surfactant is TRITON™ X-114.
9. The process of claim 8 wherein the treating of lysed cells is effected at a temperature of about 0 °C to about 10 °C, the resulting mixture is treated to a mildly elevated temperature of about 35 °C to about 40 °C to effect separation of the detergent phase, and the detergent phase is separated from the aqueous phase by centrifugation.
10. The process of claim 7 wherein the first chromatographic column is an ion exchange column.
11. The process of claim 7 wherein lysis of the host cells is effected by freeze-thaw.

12. The process of claim 7 wherein lysis of the host cells is effected by sonication.
13. Recombinantly produced, isolated and purified lipidated PsaA protein produced by the process of claim 7.
14. Recombinantly produced, isolated and purified lipidated PsaA protein having a purity of at least 80% and substantially free from contaminant proteins and lipopolysaccharides.
15. The recombinantly produced, lipidated PsaA protein of claim 14, wherein said protein has a purity of at least 95%.
16. An immunological composition comprising the recombinant lipidated PsaA protein of claim 15.
17. The immunological composition of claim 16, further comprising an adjuvant.
18. The immunological composition of claim 17, wherein the adjuvant is alum.
19. A method of inducing an immunological response in an animal comprising the step of administering to the animal the immunological composition of claim 16.
20. A method of immunizing a host against pneumococcal infection, which method comprises administering to the host an immunologically effective amount of recombinantly produced, lipidated PsaA.
21. The method of claim 20, wherein said administration is effected intranasally.
22. An immunogenic composition for intranasal administration to a host susceptible to pneumococcal carriage to elicit a protective immunological response against colonization with *Streptococcus pneumoniae* in the nasopharynx, which comprises an immunizing amount of recombinant lipidated PsaA, or an immunogenic fragment thereof
23. The composition of claim 22, further comprising an adjuvant.
24. The composition of claim 23, wherein the adjuvant is alum.

## SEQUENCE LISTING

## (1) GENERAL INFORMATION:

- (i) APPLICANT: Ades, Edwin W.  
Carlone, George M.  
De, Barun K.  
Huebner, Robert C.  
Sampson, Jacqueline S.
- (ii) TITLE OF INVENTION: Recombinant Lipidated PsaA Protein,  
Methods of Preparation and Use
- (iii) NUMBER OF SEQUENCES: 3
- (iv) CORRESPONDENCE ADDRESS:
  - (A) ADDRESSEE: Connaught Laboratories, Inc.
  - (B) STREET: Route 611, P.O. Box 187
  - (C) CITY: Swiftwater
  - (D) STATE: PA
  - (E) COUNTRY: USA
  - (F) ZIP: 18370
- (v) COMPUTER READABLE FORM:
  - (A) MEDIUM TYPE: Floppy disk
  - (B) COMPUTER: IBM PC compatible
  - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
  - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
  - (A) APPLICATION NUMBER:
  - (B) FILING DATE:
  - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
  - (A) NAME: Howe, Timothy R.
  - (B) REGISTRATION NUMBER: 39,228
  - (C) REFERENCE/DOCKET NUMBER: TH-005
- (ix) TELECOMMUNICATION INFORMATION:
  - (A) TELEPHONE: 717-839-5027
  - (B) TELEFAX: 717-839-0619

## (2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

GGGCATGCGC TAGCGGAAAA AAAGAT

## (2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 26 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

GGGGATCCTT ATTTTGCCAA TCCTTC

26

## (2) INFORMATION FOR SEQ ID NO:3:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 921 base pairs  
 (B) TYPE: nucleic acid  
 (C) STRANDEDNESS: single  
 (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

ATGAAAAAAT ATTTATTGGG AATAGGTCTA ATATTAGCCT TAATAGCATG CGCTAGCGGA	60
AAAAAAGATA CAACTTCTGG TCAAAACTA AAAGTTGTTG CTACAACTC AATCATCGCT	120
GATATTACTA AAAATATTGC TGGTGACAAA ATTGACCTTC ATAGTATCGT TCCGATTGGG	180
CAAGACCCAC ACGAATACGA ACCACTTCCT GAAGACGTTA AGAAAACTTC TGAGGCTGAT	240
TTGATTTTCT ATAACGGTAT CAACCTTGAA ACAGGTGGCA ATGCTTGTT TACAAAATTG	300
GTAGAAAATG CCAAGAAAC TGAAACAAA GACTACTTCG CAGTCAGCGA CGGCGTTGAT	360
GTTATCTACC TTGAAGGTCA AAATGAAAAA GGAAAAGAAG ACCCACACGC TTGGCTTAAC	420
CTTGAAAACG GTATTATTTT TGCTAAAAAT ATCGCCAAAC AATTGAGCGC CAAAGACCCT	480
AACAATAAAG AATTCTATGA AAAAAATCTC AAAGAATATA CTGATAAGTT AGACAACTT	540
GATAAAGAAA GTAAGGATAA ATTTAATAAG ATCCCTGCTG AAAAGAACT CATTGTAACC	600
AGCGAAGGAG CATTCAAATA CTTCTCTAAA GCCTATGGTG TCCAAGTGC CTACATCTGG	660
GAAATCAATA CTGAAGAAGA AGGAACTCCT GAACAAATCA AGACCTTGGT TGAAAACTT	720
CGCCAAACAA AAGTTCCATC ACTCTTTGTA GAATCAAGTG TGGATGACCG TCCAATGAAA	780
ACTGTTTCTC AAGACACAAA CATCCCAATC TACGCACAAA TCTTTACTGA CTCTATCGCA	840
GAACAAGGTA AAGAAGGCGA CAGCTACTAC AGCATGATGA AATACAACCT TGACAAGATT	900
GCTGAAGGAT TGGCAAATA A	921

1

2

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/00379

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 C12N15/31 C12N15/62 C07K14/315 A61K39/02 A61K39/09

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C07K C12N A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 93 10238 A (US HEALTH) 27 May 1993 (1993-05-27) cited in the application abstract; claims; examples page 11, line 4 - line 19 ---	1-24
Y	WO 96 40718 A (CONNAUGHT LAB) 19 December 1996 (1996-12-19) abstract; claims; examples page 7, line 4 - page 9, line 2 --- -/--	1-24

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

8 July 1999

Date of mailing of the international search report

27/07/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Jansen, K-S

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/00379

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	<p>BECKER ET AL: "Recombinant engineering of PspA antigen from Streptococcus pneumoniae as PAM-3cys-lipidated protein potentiates immunogenicity for both parenteral and mucosal routes of administration.", BROWN, F. 'EDITOR!; BURTON, D. 'EDITOR!; DOHERTY, P. 'EDITOR!; MEKALANOS, J. 'EDITOR!. VACCINES, 1997, VOL. 97, PP. 39-44, COLD SPRING HARBOR, NEW YORK, USA XP002108305 the whole document</p>	21-24
A	<p>TALKINGTON ET AL: "Protection of mice against fatal pneumococcal challenge by immunization with pneumococcal surface adhesin A (PsaA)" MICROBIAL PATHOGENESIS, vol. 21, 1996, pages 17-22, XP002108303 see abstract and discussion, particularly page 21, line 7 - line 13</p>	1-24
A	<p>SAMPSON ET AL: "Limited Diversity of Streptococcus pneumoniae psaA among Pneumococcal Vaccine Serotypes" INFECTION AND IMMUNITY, vol. 65, no. 5, May 1997 (1997-05), pages 1967-1971, XP002108304 see the whole document, particularly page 1969, line 44 - page 1970, line 3 -&amp; SAMPSON ET AL: "Streptococcus pneumoniae surface adhesin A" EMBL DATABASE ENTRY SPU53509 &lt;ID&gt; ACCESSION NUMBER U53509, 4 October 1996 (1996-10-04), XP002108510</p>	1-24
A	<p>SAMPSON ET AL: "Cloning and Nucleotide Sequence Analysis of psaA, the Streptococcus pneumoniae Gene Encoding a 37-Kilodalton Protein Homologous to Previously Reported Streptococcus sp. Adhesins" INFECTION AND IMMUNITY, vol. 62, no. 1, January 1994 (1994-01), pages 319-324, XP002108496 abstract; figure 2</p>	1-24
A	<p>BESSLER ET AL: "SYNTHETIC LIPOPEPTIDES AS NOVEL ADJUVANTS" RESEARCH IN IMMUNOLOGY, vol. 143, no. 5, 1 January 1992 (1992-01-01), pages 548-553, XP000574924 cited in the application see abstract and discussion</p>	1-24

-/--



# INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/00379

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category <sup>2</sup>	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>ERDILE ET AL: "OspA lipoprotein of <i>Borrelia burgdorferi</i> is a mucosal immunogen and adjuvant"</p> <p>VACCINE, vol. 15, no. 9, 1 June 1997 (1997-06-01), page 988-995 XP004115364 see abstract and discussion</p> <p style="text-align: center;">---</p>	1-24
P,Y	<p>ADES ET AL: "Intranasal immunization with recombinant PsaA (37kDa) protects mice challenged intranasally with <i>Streptococcus pneumoniae</i>"</p> <p>CENTERS FOR DISEASE CONTROL AND PREVENTION, INTERNATIONAL CONFERENCE ON EMERGING INFECTIOUS DISEASES, ATLANTA, GA (USA). 8-11 MAR 1998, XP002108497 abstract</p> <p style="text-align: center;">-----</p>	21-24

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 99/ 00379

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:  
Remark: Although claims 19-21  
are directed to a method of treatment of the human/animal  
body, the search has been carried out and based on the alleged  
effects of the compound/composition.
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such  
an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all  
searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment  
of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report  
covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is  
restricted to the invention first mentioned in the claims: it is covered by claims Nos.:

### Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 99/00379

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9310238 A	27-05-1993	AU 3065892 A US 5854416 A	15-06-1993 29-12-1998
WO 9640718 A	19-12-1996	AU 6134396 A CA 2223300 A EP 0832093 A FI 974422 A NO 975619 A	30-12-1996 19-12-1996 01-04-1998 04-02-1998 30-01-1998